

Contents

Natural Stone Mantels

Ashcombe 54" Agean Limestone	4
Balham 56" Agean Limestone	6
Chancery 52" Agean Limestone	8
Everley 48" Agean Limestone	10
Hanwell 54" Agean Limestone	12
Hersham 48" Agean Limestone	14
Hersham 54" Agean Limestone	16
Hersham 54" Carrara Marble	17
Hersham 54" Liberty White Marble	18
Hersham 54" Umbrian Stone	20
Kensington 56" Agean Limestone	22
Kensington 56" Liberty White	24
Kensington 56" in Umbrian Stone	26
Mulholland 54" Agean Limestone	28
Mulholland 54" Umbrian Stone	30
Regent 57" Agean Limestone	32
Regent 57" Carrara Marble	34
Sandringham 54" Carrara Marble	36
Sandringham 54" Liberty White Marble	38
Swinford 48" Agean Limestone	40

Oak Mantels

Byron 46" Solid Oak	42
Copgrove 54" Solid Oak	44

Fuel Key







Cast Iron Fireplaces


Fairburn 36" Black	46
Fairburn 36" Full Polished	48
Fairburn 36" Highlight	50
Fairburn 48" Black	52
Fairburn 48" Full Polished	54
Harewood 36" Black	56
Harewood 36" Full Polished	58
Harewood 36" Highlight	60

Firebaskets

Danbury Baskets	62
Arundel Basket	64
Bamburgh Basket	64
Osterley Basket	66
Burghley Basket	67

Range summary & technical information

Mantels at a glance	68
Decorative Open Fronted Gas Fires	70
Open Fronted Gas Convector Fires	72
Glass Fronted Gas Convector Fire	74
Gas Fire Trim, Fret & Fireframe Options	76
Lectro Electric Inset Fire	78
Electric Fire Trim, Fret & Fireframe Options	80
greencast products at a glance	82
Cast Iron Fireplaces at a glance	83
Cast Iron Interiors at a glance	84
Cast Iron plates at a glance	85
Tiles inserts at a glance	85
Notes	86
Aftercare & maintenance	87



Ashcombe 54" in Agean Limestone

Backpanel

Merrick highlight cast iron

Fire

Glass fronted gas convector (slide control) Flare Fireframe polished

Hearth

Polished granite


















Balham 56" in Agean Limestone

Backpanel

Provident highlight cast iron

Fire

Glass fronted gas convector (slide control) Provident Fireframe in Black

Hearth

Polished granite









Chancery 52" in Agean Limestone

Backpanel

Oxford highlight cast iron

Stove

Sirius 450 Traditional Inset Cleanburn

Hearth

Polished granite (slabbed for solid fuel)

















Everley 48" in Agean Limestone

Arch

Wandsworth 14" highlight cast iron

Fire

Bespoke gas burner

Hearth

Polished granite









Hanwell 54" in Agean Limestone

Backpanel

Oxford highlight cast iron

Fire

Glass fronted gas convector (slide control) Capella Fireframe polished

Hearth

Polished granite













Hersham 48" in Agean Limestone

Arch

Wandsworth 14" black cast iron

Fire

Real wood

Hearth

Polished granite (slabbed for solid fuel)













Hersham 54" in Agean Limestone

Arch

Wandsworth highlight cast iron

Fire

Bespoke gas burner

Hearth

Polished granite

Fuel options for Arches









Insert option (above)

Provident cast iron backpanel Glass fronted gas convector fire (slide control) Provident Fireframe highlight













Hersham 54" in Carrara Marble

(also available in Liberty White Marble)

Arch

Carlisle highlight cast iron

Fire

Bespoke gas burner

Hearth

Honed granite









Hersham 54" Liberty White Marble (above)





Hersham 54" in Umbrian Honed Stone 1" Rebate

Also available in 48"

Arch

Wandsworth 16" in Black

Fire

Real Wood

Hearth

Honed Granite (slabbed for solid fuel)









Kensington 56" in Agean Limestone

Fascia

Capital Classic Steel Polished Fascia Plate and back plate

Fire

Decorative open fronted gas, Capital magnetic trim brushed steel and Bauhaus fret polished

Hearth


Agean Limestone

Fuel options for Steel Plates

















Kensington 56" in Liberty White Marble

Arch

Carlisle black cast iron

Fire

Shown without a fire (decorative lights not included)

Hearth

Honed granite (slabbed for solid fuel)









Kensington 56" in Umbrian Stone 1" Rebate

Chamber

Rustic Herringbone Brick

Stove

Sirius Scene 490

Hearth

Polished granite

Fuel options for









Mulholland 54" in Agean Limestone

(Shown with cushion fitted)

Insert

©greencast Wandsworth highlight cast iron arch

Fire

©greencast balanced flue gas fire

Hearth

Honed granite

Fuel options for @greencast cast iron arch









Mulholland 54" in Umbrian Honed Stone 1" Rebate

Fascia

Capital Classic Steel Polished Fascia

Stove

Sirius Traditional

Chamber

Reeded Fireboard

Hearth

Honed Granite

Fuel options for Sirius Stoves









Regent 57" in Agean Limestone

Arch

Wandsworth black cast iron (large burning area)

Fire

Real wood

Hearth

Slate hearth (slabbed for solid fuel)

















Regent 57" in Carrara Marble

Backpanel

Provident highlight cast iron

Fire

Glass fronted gas convector (slide control) Provident Fireframe highlight

Hearth

Honed Granite













Natural Stone Mantels

Sandringham 54" in Carrara Marble

Arch

Wandsworth full polished cast iron

Fire

Bespoke gas burner

Hearth

Waterfall polished granite (illustration purposes only)

Fuel options for Arches











Natural Stone Mantels

Sandringham 54" in Liberty White Marble

Arch

Carlisle highlight cast iron

Fire

Solid Fuel

Hearth

Polished Granite

Fuel options for Arches

















Natural Stone Mantels

Swinford 48" in Agean Limestone

Chamber

Rustic brick

Stove

Essence 405

Hearth

Honed granite (slabbed for solid fuel)

Fuel options for Sirius Stoves





Oak Mantels

Byron 46" Solid Oak

(option with under mantel ambient lighting available)

Backpanel

Polished granite

Fire

Open fronted Gas convector with Halo Fireframe

Hearth

Polished granite

Fuel options for Backpanels













Oak Mantels

Copgrove 54" Solid Oak

(option with under mantel ambient lighting available)

Backpanel

Oxford highlight cast iron

Fire

Open fronted gas convector (manual control) Capella Fireframe polished

Hearth

Polished granite

Fuel options for Backpanels

















Fairburn 36" in Black

Fire

Real wood

Hearth

Polished granite (slabbed for solid fuel)









Fairburn 36" in Full Polished

Fire

Bespoke gas burner

Hearth

Polished granite













Fairburn 36" in Highlight

Fire

Bespoke gas burner

Hearth

Polished granite

















Fairburn 48" in Black

Fire

Real wood

Hearth

Polished granite (slabbed for solid fuel)









Fairburn 48" in Full Polished

Fire

Bespoke gas burner

Hearth

Polished granite













Harewood 36" in Black

Fire

Real wood

Hearth

Basalt Tiled (slabbed for solid-fuel)













Harewood 36" in Full Polished

Fire

Bespoke gas burner

Hearth

Honed granite

















Harewood 36" in Highlight

Fire

Bespoke gas burner

Hearth

Polished granite













Firebaskets

Danbury

Fire

Solid Fuel


Fuel options for Cast Iron Baskets








Model	Danbury				
Fuel	Electric	Gas	Multi Fuel		
Output	1kW or 2kW	Variable	Variable		
Gas Type	N/A	Natural Gas (LPG option available)	N/A		
Fuel Bed	Coal	Coal as standard	All solid fuels (not supplied)		
Material	Cast Iron				











Firebaskets



Arundel Full Polished

Fuel options for Cast Iron Baskets









Bamburgh Black With Back




Bamburgh Black No Back



Bamburgh Full Polished No Back


Model	Arundel / Bamburgh				
Fuel	Electric	Electric Gas Multi Fuel			
Output	1kW or 2kW	Up to 6.9kW	Variable		
Gas Type	N/A	Natural Gas (LPG option available)	N/A		
Fuel Bed	Coal	Coal as standard	All solid fuels (not supplied)		
Material	Cast Iron				


Arundel dimensions






Model	Osterley
Fuel	Multi Fuel
Output	Variable
Gas Type	N/A
Fuel Bed	All solid fuels (not supplied)
Material	Cast Iron











Model	Burghley
Fuel	Multi Fuel
Output	Variable
Gas Type	N/A
Fuel Bed	All solid fuels (not supplied)
Material	Cast Iron

Mantels at a glance




















AVAILABLE IN AGEAN LIMESTONE, LIBERTY WHITE MARBLE & HONED UMBRIAN



AVAILABLE IN AGEAN LIMESTONE & HONED UMBRIAN

Mantels at a glance








AVAILABLE IN CARRARA MARBLE & LIBERTY WHITE MARBLE



AVAILABLE IN AGEAN LIMESTONE







	A	В	C	D	E	F	G	Н
ASHCOMBE 54"	1370	1090	915	900	1275	190	75	145
BALHAM 56"	1420	1145	915	915	1305	230	75	165
BYRON 46"	1170	1095	830	900	1130	205	25	150
CHALFONT 60"	1525	123 0	915	915	1430	220	75	180
CHANCERY 52"	1320	1120	915	915	1330	170	75	175
COPGROVE 54"	1370	1140	915	915	1275	195	25	155
EVERLEY 48"	1220	1090	730	860	1115	180	75	150
HANWELL 54"	1370	1145	915	915	1305	190	75	155

	A	В	C	D	E	F	G	Н
HERSHAM 48"	1220	1080	785	880	1115	180	75	140
HERSHAM 54"	1370	1115	915	915	1305	180	75	140
KENSINGTON 56"	1420	1180	915	915	1285	200	75	130
MULHOLLAND 54"	1380	1265	915	915	1255	170	75	145
REGENT 57"	1450	1130	915	915	1340	230	75	180
SANDRINGHAM 54"	1370	1145	915	915	1285	260	75	150
SWINFORD 48"	1220	1030	720	810	1120	200	75	150

All measurements in mm. Overall height does not include hearth



Trim & Fret Options



Antique Brass finish Trim & 16" Bauhaus Fret



Black Trim & 16" Bauhaus Fret



Brushed Steel Trim & 16" Bauhaus Fret polished




Diamond Black finish Trim & 16" Bauhaus Fret



Polished Steel Trim & 16" Bauhaus Fret chrome


Decorative Open Fronted Gas Fire				
Model	Radiant Hotbox			
Suitability	Class I Chimney			
Heat Input	6.9kW			
Heat Output	Up to 3.5kW			
Gas Type	Natural Gas (LPG option available)			
Controls	Manual			
Air Vent Required	Not normally required			
Fuel Bed	Coal standard (Pebbles are available as an optional extra)			
Efficiency (net)	Up to 50%			







Open Fronted Gas Convector Fire							
Model	Open Fronted	Gas Convector					
Suitability	Class I	Class II					
Heat Input	6.9kW	6kW					
Heat Output	Up to 4kW	Up to 3.4kW					
Gas Type	Natural Gas (LPG	option available)					
Controls	Manual	or Slide					
Air Vent Required	Not normal	lly required					
Fuel Bed	Coal						
Efficiency (net)	Up to 65%	Up to 61%					




Cla	ass I	Dime	ensio	ns			
	Abri	Capella	Flare	Mizar	Provident	Halo	Trim & Fret
A	520mm	520mm	520mm	520mm	590mm	602mm	510mm
В	655mm	615mm	635mm	615mm	740mm	662mm	610mm
C	80mm	75mm	75mm	75mm	85mm	104mm	85mm
D	545mm	545mm	545mm	545mm	545mm	545mm	545mm
E	300mm	300mm	300mm	300mm	300mm	300mm	300mm
F	235mm	235mm	235mm	235mm	235mm	235mm	235mm
G	385mm	385mm	385mm	385mm	385mm	385mm	385mm
Н	50mm	45mm	40mm	45mm	70mm	45mm	50mm

Cl	Class II Dimensions										
	Abri	Capella	Flare	Mizar	Provident	Trim & Fret					
A	520mm	520mm	520mm	520mm	590mm	510mm					
В	655mm	615mm	635mm	615mm	740mm	610mm					
C	80mm	75mm	75mm	75mm	85mm	85mm					
D	545mm	545mm	545mm	545mm	545mm	545mm					
E	265mm	265mm	265mm	265mm	265mm	265mm					
F	135mm	135mm	135mm	135mm	135mm	135mm					
G	330mm	330mm	330mm	330mm	330mm	330mm					
Н	50mm	45mm	40mm	45mm	70mm	50mm					





Glass Fronted Gas Convector Fire					
Model	Glass Fronted Gas Convector Fire				
Suitability	Class I Flue or Class II Flue				
Heat Input	5 kW				
Heat Output	Up to 4.4 kW				
Gas Type	Natural Gas				
Controls	Slide				
Air Vent Required	Not normally required				
Fuel Bed	Coal Only				
Efficiency (net)	Up to 89%				



Ι	Dimensions											
	Abri	Capella	Flare	Mizar	Provident	Halo	Trim & Fret					
A	520mm	520mm	520mm	520mm	590mm	602mm	510mm					
В	655mm	615mm	635mm	615mm	740mm	662mm	610mm					
C	80mm	75mm	75mm	75mm	85mm	104mm	85mm					
D	545mm	545mm	545mm	545mm	545mm	545mm	545mm					
E	300mm	300mm	300mm	300mm	300mm	300mm	300mm					
F	235mm	235mm	235mm	235mm	235mm	235mm	235mm					
G	385mm	385mm	385mm	385mm	385mm	385mm	385mm					
Н	50mm	45mm	40mm	45mm	70mm	45mm	50mm					

Gas Fire Trim, Fret & Fireframe Options



Abri Fireframe antique brass



Abri Fireframe black



Abri Fireframe bronze finish



Abri Fireframe dark luster



Capella Fireframe antique brass



Capella Fireframe black



Capella Fireframe bronze finish



Capella Fireframe dark luster



Flare Fireframe antique brass



Flare Fireframe black



Flare Fireframe bronze finish



Flare Fireframe dark luster



Mizar Fireframe antique brass



Mizar Fireframe black



Mizar Fireframe bronze finish



Mizar Fireframe dark luster

TRIM, FRET & FIREFRAME OPTIONS WILL FIT ALL OPEN CONVECTOR FIRES (Pages 72/73)

Gas Fire Trim, Fret & Fireframe Options



Abri Fireframe polished



Antique brass finish Trim & 16" Bauhaus Fret



Black Trim & 16" Bauhaus Fret



Brushed Steel Trim & 16" Bauhaus Fret polished



Capella Fireframe polished



Polished Steel Trim & 16" Bauhaus Fret chrome



Diamond Black finish Trim & 16" Bauhaus Fret



Flare Fireframe polished



Provident Fireframe black



Provident Fireframe highlight



Mizar Fireframe polished




Halo Fireframe black (not suitable for Class II fires)







Lectro Electric Inset Fire					
Model	16" Electric Inset Fire				
Suitability	No Chimney required				
Heat Output	Variable: effect only, 1kW & 2kW				
Fuel Type	Electric				
Controls	Manual or Remote				
Fuel Bed	Coal or Pebbles (both supplied)				
Efficiency (net)	Up to 98% at point of use				



Ι	Dimensions											
	Abri	Capella	Flare	Mizar	Provident	Halo	Trim & Fret					
A	520mm	520mm	520mm	520mm	590mm	602mm	510mm					
В	655mm	615mm	635mm	615mm	740mm	662mm	610mm					
C	80mm	75mm	75mm	75mm	85mm	104mm	10mm					
D	565mm	565mm	565mm	565mm	565mm	545mm	565mm					
E	410mm	410mm	410mm	410mm	410mm	300mm	410mm					
F	75mm	75mm	75mm	75mm	75mm	235mm	75mm					
G	60mm	60mm	60mm	60mm	60mm	385mm	60mm					
Н	50mm	45mm	40mm	45mm	70mm	45mm	50mm					

Electric Fire Trim, Fret & Fireframe Options



Abri Fireframe antique brass



Abri Fireframe black



Abri Fireframe bronze finish



Abri Fireframe dark luster



Capella Fireframe antique brass



Capella Fireframe black



Capella Fireframe bronze finish



Capella Fireframe dark luster



Flare Fireframe antique brass



Flare Fireframe black



Flare Fireframe bronze finish



Flare Fireframe dark luster



Mizar Fireframe antique brass



Mizar Fireframe black



Mizar Fireframe bronze finish



Mizar Fireframe dark luster

TRIM, FRET & FIREFRAME OPTIONS WILL FIT ALL OPEN CONVECTOR FIRES (Pages 72/73)

Electric Fire Trim, Fret & Fireframe Options



Abri Fireframe polished



Antique brass finish Trim & 16" Bauhaus Fret



Black Trim & 16" Bauhaus Fret



Brushed Steel Trim & 16" Bauhaus Fret polished



Capella Fireframe polished



Polished Steel Trim & 16" Bauhaus Fret chrome



Diamond Black finish Trim & 16" Bauhaus Fret



Flare Fireframe polished



Provident Fireframe black




Provident Fireframe highlight



Mizar Fireframe polished




Halo Fireframe black




@greencast wandsworth Highlight Cast Iron Arch

FIRE	INPUT	OUT PUT	CHAMBER DEPTH	EFFICIENCY	CERAMICS COAL
FULL DEPTH OPEN FRONTED CONVECTOR	6.9kW	3.5kW	230	55.8%	✓
SLIMLINE OPEN FRONTED CONVECTOR	6.5kW	2.6kW	90	44.0%	✓
FULL DEPTH GLASS FRONTED CONVECTOR	5.0kW	2.9kW	230	64.2%	✓
SLIMLINE GLASS FRONTED CONVECTOR	4.0kW	2.7kW	90	74.0%	✓
BALANCED FLUE *	4.6kW	3.9kW	130	94.0%	✓

NATURAL GAS FIRES ONLY





Cast iron fireplaces at a glance



FAIRBURN 36" BLACK



FAIRBURN 36" FULL POLISHED



FAIRBURN 36" HIGHLIGHT



FAIRBURN 48" BLACK



FAIRBURN 48" FULL POLISHED




HAREWOOD 36" BLACK




HAREWOOD 36"
FULL POLISHED



HAREWOOD 36' HIGHLIGHT





	A	В	С	D	E	F	G	Н	1	J	K
FAIRBURN 36"	780	1000	455	655	595	730	N/A	915	580	730	300
FAIRBURN 48"	1015	1185	450	655	745	805	N/A	1200	580	730	300
HAREWOOD	780	1015	410	550	640	805	N/A	915	470	615	220

Cast Iron Interiors at a glance







CARLISLE BLACK

CARLISLE HIGHLIGHT

WANDSWORTH BLACK







WANDSWORTH FULL POLISHED

WANDSWORTH HIGHLIGHT

WANDSWORTH 14" BLACK








WANDSWORTH 14" HIGHLIGHT

MERRICK HIGHLIGHT

OXFORD HIGHLIGHT





	A	В	С	D	E	F	G	I [*]	J**	K***
CARLISLE	940	940	405	645	825	850	70	430	710	180
WANDSWORTH	1016	1016	450	665	795	835	80	530	730	190
WANDSWORTH 14"	940	940	365	665	675	820	75	440	730	160
CAPITAL CLASSIC PLATE	980	980	420	570	865	890	n/a	n/a	n/a	n/a
CAPITAL PLAIN PLATE	980	980	420	575	690	795	n/a	n/a	n/a	n/a
MERRICK	980	980	420	575	860	865	75	n/a	n/a	n/a
NOUVEAU	940	940	410	575	841	890	75	470	615	200
OXFORD	980	980	420	575	865	865	75	n/a	n/a	n/a
PROVIDENT	980	980	420	575	805	850	65	n/a	n/a	n/a



- allows 30mm each side for tolerances and backfilling allows 30mm clearance under lintol and 50mm hearth allows a gap of 30mm for back filling and to take up tolerance. This dimension assumes that the hob is fitted in a 75mm rebated mantel

Cast Iron plates at a glance


STEEL PLATES COME IN TWO



CAPITAL PLAIN CAST IRON POLISHED FASCIA (BLACK STEEL BACK PLATE) SUITABLE FOR USE WITH MULTI-FUEL



CAPITAL PLAIN CAST IRON POLISHED FASCIA (POLISHED CAST IRON BACK PANEL)



CAPITAL CLASSIC CAST IRON POLISHED FASCIA
(BLACK STEEL BACK PLATE)
SUITABLE FOR USE WITH MULTI-FUEL



CAPITAL CLASSIC CAST IRON POLISHED FASCIA (POLISHED CAST IRON BACK PANEL)

Tiled Inserts at a glance



NOUVEAU BLACK



NOUVEAU HIGHLIGHT

Notes

STONE & MARBLE

All our natural stone and marble products are sealed during the manufacturing process. This is an initial protective coating which helps to reduce the porosity of the stone or marble. We would recommend that once your fireplace has been installed, it should be cleaned and left to dry and resealed using proprietary cleaners and sealers (your retailer will be able to advise). Surprisingly, marble is quite porous and as such can stain just as easily as limestone or sandstone which appears to be more porous than marble. These products can be cleaned from time to time and special care kits are available from your retailer. There are also occasions where accidental damage can occur, where minor chips or scratches "appear". Stone and Marble are very forgiving materials and can be carefully sanded down to bring the surfaces back to their initial glory. Each fireplace is provided with a detailed installation, care and maintenance leaflet which explains more about this - please ask your installer to leave this with you.

CAST IRON AND STEEL

The Cast Iron Fireplaces, hobs, inserts and stoves are made from cast iron and steel components and as such are prone to rusting if they come into contact with moisture. It has been known that a cast iron product has changed from highly polished to bright orange over night, when it was fitted into a house that had been newly plastered. Our products are delivered to your retailer with a thick protective coating which is to be removed once it has been installed (and when the plaster has dried out). From then on the products are vulnerable to rust and so we recommend a weekly routine of wiping down the unpainted parts of your hob or insert fireplace with WD40 or similar.

When burning fossil fuels, it is your responsibility to ensure that you use smokeless fuels if you live in a smoke free zone. We suggest that you use fuels recommended by the Solid Fuel Association (www. solidfuel.co.uk). No responsibility can be accepted if high temperature fuels have been used, or if your chimney has excessive draft. Your retailer will be able to advise.

We recommend that you clean ash away regularly as this can cause premature failure of the grate. The grate is a consumable element of your fireplace and can be replaced by contacting your retailer.

We recommend that chimneys should be swept every six months as a minimum.

GAS FIRES

Gas fires are similar to gas boilers in that they must be fitted by appropriately qualified and registered installers (GAS SAFE – formerly known as CORGI) and must be serviced regularly by a suitably qualified and registered person.

The colours shown in the brochure are as accurate as possible, however, please visit your retailer if colour is critical in order to see samples of the materials you like.

Designs and products are occasionally altered or discontinued without prior notice (a reserved right), so if you are about to set your interior design around a fireplace shown in this brochure, then do please check with your retailer to ensure that there are no material changes.

It is essential that you have your fireplace installed in accordance with Building Regulations and other standard requirements by a competent person experienced in fitting all elements of your fireplace – your retailer will be able to help you select an appropriately qualified installer.

Please ensure that you fully inspect your new fireplace before it is installed as no responsibility for refitting or redecoration can be accepted if defective products are installed.

Due to manufacturing processes, all measurements are approximate and may vary slightly. Please allow for a tolerance of plus or minus 12mm.

Other Brochures From The Capital Fireplace Range









www.capitalfireplaces.co.uk



This brochure is printed on FSC accredited materials from sustainable sources



